

CSC321 Tutorial 1

(Slides partly made by Roland Memisevic)

Yue Li

Wed 11-12 Jan 15

Fri 10-11, Jan 17

Tutorial page:

http://www.cs.utoronto.ca/~yueli/CSC321_UTM_2014.html

Why MATLAB ?

- ▶ Easy to learn.
- ▶ Many useful features ('toolboxes').
- ▶ Standard!
 - ▶ Used all over by engineers, scientists, etc.
 - ▶ Useful to know even if you don't want to use it... (see e.g. Octave, Python's pylab, etc.)
- ▶ Excellent documentation.
 - ▶ Can use MATLAB to learn some math itself!

Caveats

- ▶ Has some disadvantages, too:
 - ▶ Not a very 'modern' programming language.
 - ▶ Can be awkward.
 - ▶ Not good for large software projects.
 - ▶ Proprietary.

Starting MATLAB...

- ▶ At the command prompt type:
`matlab`
- ▶ Or, if you don't like windows:
`matlab -nodesktop`
- ▶ Get help any time with
`help 'function-name'`
- ▶ To exit:
`exit`

Working with MATLAB

- ▶ The MATLAB-prompt behaves in many ways like a standard UNIX-prompt.
 - ▶ Navigate with cursor, TAB-completion, etc.
- ▶ MATLAB can be (and usually is) used **interactively!**
- ▶ MATLAB is verbose: Shows results immediately
- ▶ You can suppress this by ending the line with ';'

Operations

- ▶ To use MATLAB, enter stuff at the command prompt:

```
5*7
```

- ▶ Some simple operations:

```
+, -, *, ^, /, ==, <, >, ~=
```

- ▶ To use variables, assign to them:

```
x = 5
```

```
y = 234
```

```
x * y
```

- ▶ Some simple functions:

```
sin, cos, exp, log, sqrt, ...
```

Matrices

- ▶ To enter matrices use `[,]`
- ▶ Separate columns with `,` or `' '`
- ▶ Separate lines with `;`
- ▶ `A = [1 2 3; 4 5 6]` yields

$$A = \begin{bmatrix} 1 & 2 & 3 \\ 4 & 3 & 6 \end{bmatrix}$$

- ▶ Important shortcut is `1 : 0.5 : 3` Works like this:
`1 : 0.5 : 3` gives you `[1.0 1.5 2.0 2.5 3.0]`
- ▶ Access matrix elements with `()`. For example
`A(2,2) = 3`

- ▶ Note: Indexes start at one!

Working with vectors and matrices

- ▶ Most functions mentioned before are performed *element-wise*.
Two exceptions are

`*` and `^`

To make these element-wise, use 'dot-notation':

`.*` and `.^`

- ▶ You can summarize vectors (and matrices) with
`min`, `max`, `mean`, `sum`, ...

For example: `min([3, 2, 4, 5, 6]) = 2`

Matrix algebra

- ▶ Standard matrix algebra rules apply. E.g.

$$[1,2]' * [1,2] = ?$$

$$[1,2] * [1,2]' = ?$$

- ▶ To transpose use '

Working with vectors and matrices

- ▶ Special functions for quickly building big matrices:
zeros, ones, rand, randn, eye
- ▶ Work like this:
 - ▶ To get a 3×3 -matrix filled with zeros, type
zeros(3)
 - ▶ To get a 3×1 -matrix filled with zeros, type
zeros(3,1)
 - ▶ Etc.
- ▶ The other functions similarly.

Scripts and functions

- ▶ Can write *scripts* by stacking commands in a file ending in '.m'
- ▶ Similarly, define *functions* by starting the file with

```
function [y] = myfunction(x)
```

The value of `y` will be the return value. The name of the file will be the function name.

- ▶ Comments start with '%'
- ▶ Example:

```
function [y] = timestwo(x)
    y = 2*x           % multiply by two...
```

for, while, if ...

▶ for-loops

```
▶ for i = 1 : 0.5 : 5
    exp(i)
end
```

▶ while-loops

```
▶ i = 1.1
while i<=2
    i = i^2
end
```

▶ conditionals

```
▶ i = sin(2.1374)
if i < 0.5
    i = i^2
end
```

Plotting

- ▶ To plot use 'plot'.
- ▶ For example

```
x = 1 : 0.5 : 10;  
y = sin(x);  
plot(x,y)
```

- ▶ You can use an additional string argument. One example:

```
plot(x,y, 'r--')
```

- ▶ Use 'help plot' for more on this.
- ▶ Overlay plots using 'hold on/off'

More plotting

- ▶ Change labeling with 'xlabel', 'ylabel', 'title'.
- ▶ Generate subplots with 'subplot'.
- ▶ Display matrices with 'imagesc'.
- ▶ E.g.

```
A = rand(10)
subplot(1,2,1)
imagesc(A)
B = (1:0.1:10)'*(1:0.1:10)
subplot(1,2,2)
imagesc(B)
```

- ▶ Other: 'plot3', 'scatter', 'bar', 'hist', ...

Slicing and logical indexing

- ▶ Can refer to *slices* of matrices using ':'
- ▶ Example: Let $a = \text{eye}(3)$;
 $a(1, :) = [1, 0, 0]$ and $a(2, :) = [0, 1, 0]$, etc.
- ▶ You can use *logical matrices* to access elements of other matrices.
- ▶ $==, <, >$, etc. actually return logical matrices (they work component-wise).
- ▶ So, if $a = [1, 2, 3]$ you have:
 - ▶ $a(a > 1) = [2, 3]$