

UNIVERSITY OF TORONTO

Faculty of Arts and Science

December Examinations 1999

csc148f: Introduction to Computer Science

Duration: 3 hours

Aids allowed: None.

- **Make sure your examination booklet has 13 pages (not including this one).**
- Write your answers in the spaces provided. Do not feel that you must use all of the space provided. If you run out of space on any question, use the back of a page, and draw an arrow to point this out.
- You will be rewarded for answers that are concise and well thought out, rather than long and rambling.
- Write legibly. Unreadable answers will be given 0.
- When asked to write code, comments are not necessary.

Family Name: _____ Given Names: _____

Student #: _____

Lecturer (circle one):	Chechik (morning)	Horton (afternoon)	Reiter (evening)
------------------------	----------------------	-----------------------	---------------------

1. _____ / 12

2. _____ / 6

3. _____ / 16

4. _____ / 14

5. _____ / 14

6. _____ / 7

7. _____ / 8

8. _____ / 14

9. _____ / 9

Total _____ / 100

Good Luck!

Question 1

[12 marks in total]

(a) [2 marks]

Write your name and student number **legibly** at the top of *every* page of this exam.


(b) [2 marks]

Suppose you have an array **A** which you wish to treat as “circular”, and an index **i** into that array. Complete the following line of code so that it advances **i** to the “next” position in the circular array.

i =

(c) [2 marks]

Here is a binary tree:



Circle one answer to complete the following inorder traversal of this tree: a b c ...

1. ... d a e g e h f c
2. ... g e h d a e f c
3. ... d e f g h
4. ... g h d e f
5. The sequence cannot be completed to form an inorder traversal of this tree.

(d) [2 marks]

Give a preorder traversal for the same tree:

(e) [4 marks]

Assume that you have a tree, represented using nodes and references. For each of the following operations, circle one answer to indicate whether it can be done elegantly without recursion (*i.e.*, without having to build your own stack), or whether it needs recursion to be done elegantly.

print the contents of a binary tree:	Elegant without recursion	Needs recursion
print the contents of a BST:	Elegant without recursion	Needs recursion
find the maximum value in a binary tree:	Elegant without recursion	Needs recursion
find the maximum value in a BST:	Elegant without recursion	Needs recursion

Continued

Question 2

[6 marks in total]


Consider the following method, and the `BTNode` class it uses. Note that `Math.max(a, b)` returns the maximum of `a` and `b`.

```
// Pre-condition: All nodes in the tree
// rooted at r contain Integers.
public static int mystery( BTNode r ) {
    if (r == null)
        return 0;
    else {
        int left = mystery( r.left );
        int right = mystery( r.right );
        return Math.max(left, right)
            + ((Integer)r.data).intValue();
    }
}
```

```
class BTNode {
    public Object data;
    public BTNode left, right;
}
```

(a) [2 marks]

What value is returned if we call `mystery` with a reference to the root of this binary tree:



ANSWER:

(b) [2 marks]

How many calls to `mystery` occur, in total, as a result of that initial call to `mystery`?

ANSWER:

(c) [2 marks]

Write an appropriate comment that describes what `mystery` returns.

Continued

Question 3

[16 marks in total]

For each of the following methods, write an appropriate pre-condition and post-condition, or write “none” if there is none. Don’t bother stating pre-conditions that are enforced by the compiler. For example, for an `int` parameter, you don’t need to say “i must be an integer”.

(a) [4 marks]

```
// Pre-condition:
```

```
// Post-condition:
```

```
public static void sneezy (int[] A, int n, int v) {
    for (int i=0; i<n; i++)
        A[i] = v;
}
```

(b) [4 marks]

```
// Pre-condition:
```

```
// Post-condition:
```

```
public static int happy (Node p) {
    Node temp = p.next;
    int n = 1;
    while (temp != p) {
        n++;
        temp = temp.next;
    }
    return n;
}
```

Continued

(c) [4 marks]

```
// Pre-condition:

// Post-condition:

public static int sleepy (int[] A, int n) {
    for (int i=0; i<A.length; i++) {
        if (A[i] == n)
            return i;
    }
    return -1;
}
```

(d) [4 marks]

```
// Pre-condition:

// Post-condition:

public static int bashful (int[] A, int n) {
    int i = A.length-1;
    while (A[i] != n)
        i--;
    return i;
}
```

Question 4

[14 marks in total]

Consider the following ADT: A **sequence** is a container that holds items. It has no fixed size, and any position in which no value has been stored is considered to contain **null**. The operations that can be performed on a sequence are:

- `set(i, item)`: sets the i^{th} position of the sequence to `item`.
- `get(i)`: returns the value in the i^{th} position of the sequence, or `null` if nothing has been stored at that position.

The positions in a sequence are counted from zero. Thus, the first position is position zero.

Here is a Java interface for sequences:

```
interface Sequence {  
    // Sets the i-th position of the sequence to item.  
    public void set (int i, Object item);  
  
    // Returns the value in the i-th position of the sequence, or  
    // null if nothing has been stored at that position.  
    public Object get (int i);  
}
```

(a) [5 marks]

Suppose we have a class called `LinkedListSequence` that implements `Sequence`. Complete the following method, which is to go *outside* the `LinkedListSequence` class. It should return the item just before the first `null` value in `seq`, or `null` if the first position of the sequence holds the value `null`.

```
public static Object beforeNull (LinkedListSequence seq) {
```

Suppose class `LinkedListSequence` implements `Sequence` using a singly-linked list. It begins with an empty linked list, and adds new nodes on the end whenever necessitated by the `set` method. Below is an outline for the class, as well as the `Node` class that it uses:

```
class LinkedListSequence implements Sequence {  
  
    // The first node in the linked list.  
    // Contains the first element of the sequence.  
    private Node first;  
  
    // Methods would go here.  
}  
  
class Node {  
    public Object data;  
    public Node next;  
}
```

(b) [5 marks]

Write the `get` method for class `LinkedListSequence`. Do not add any instance variables to class `LinkedListSequence`.

```
// Returns the value in the i-th position of the sequence, or  
// null if no object has been stored at that position.  
public Object get (int i) {
```

(c) [2 marks]

Given what you now know about class `LinkedListSequence`, what is the worst-case big-oh time complexity of your `beforeNull` method? Make sure you define any variables that you use.

You can answer this question even if you haven't solved part (a) or (b).

ANSWER:

(d) [2 marks]

Suppose the `beforeNull` method were to go *inside* class `LinkedListSequence` instead of outside. This would allow us to write a faster version of the method. What would the worst-case big-oh time complexity of the method be? Make sure you define any variables that you use. Do not assume the existence of any instance variables other than `first`.

ANSWER:

Continued

Question 5

[14 marks in total]

(a) [2 marks]

Write a fragment of code that takes $O(n^2)$ time but not $O(n)$ time.

(b) [2 marks]

Write a loop that takes $O(1)$ time.

(c) [2 marks each]

What is the worst-case big-oh time complexity of each of the following problems? Assume that the problems are solved efficiently and that there are no restrictions on the algorithms that may be used.

Search an unsorted array of n elements for a given value.

ANSWER:

Search a sorted linked list of n elements for a given value.

ANSWER:

Search a binary search tree with n nodes for a given value.

ANSWER:

Determine whether or not a sorted array of n elements has any duplicate values.

ANSWER:

Determine whether or not an unsorted array of n elements has any duplicate values.

ANSWER:

Continued

Question 6

[7 marks in total]

Consider the following method:

```
public static int huh( int[] A, int start, int finish ) {  
  
    System.out.println("Range: " + start + " " + finish);  
    int ans;  
    if (start == finish)  
        ans = A[start];  
    else {  
        int middle = (start + finish) / 2;  
        int one = huh(A, start, middle);  
        int two = huh(A, middle+1, finish);  
        System.out.println("Results: " + one + " " + two);  
        ans = Math.max( one, two );  
    }  
    System.out.println("Ans: " + ans);  
    return ans;  
}
```


Assume that we have an array A of size 4, as shown below. What would be the output if we called `huh(A, 0, 3)`?

A	98	4	222	-1
	0	1	2	3

Question 7

[8 marks in total]

Suppose we have a binary tree in which each leaf stores a `Double` and each internal node stores an operator, either `+` or `*` (represented as a `String`). Such a tree can represent simple arithmetic expressions. For example, the following tree represents the expression $(3 + ((4 * (6 + 8)) * (25 + 2)))$:



Complete the following method for computing the value of an expression represented by such a tree. It uses the same `BTNode` class as on page 2.


```
// Pre-condition: root is not null, every leaf in the tree is a Double,
//               and every internal node contains either "+" or "*".
public static Double value( BTNode root ) {
```

Continued

Question 8

[14 marks in total]

A **full** binary tree is one in which every node except the leaves has exactly two children, and all leaves are on the same level. Examples:



Recall that the height of a tree is the number of nodes on the longest path from the root to a leaf.

(a) [2 marks]

Suppose we were going to prove that for all $h \geq 1$, a full binary tree of height h has $2^h - 1$ nodes. Would it be best to use weak or strong induction? Circle one.

weak

strong

Explain why. Be specific.

(b) [8 marks]

Now do the proof. Write your proof on the next page.

(c) [2 marks]

Suppose we have a full binary tree with n nodes. What can you assert about the value of n ?

(d) [2 marks]

How many leaves does a full binary tree with n nodes have?

Proof for part (b):

Prove: For all $h \geq 1$, a full binary tree of height h has $2^h - 1$ nodes.

Question 9

[9 marks in total]

Here are interfaces for **Stack** and **Queue**:

```
public interface Queue {
    // Append o to me.
    public void enqueue(Object o)
        throws QueueFullException;
    // Remove and return my first Object.
    public Object dequeue();
        throws QueueEmptyException;
    // Return true if I am empty.
    public boolean isEmpty();
}
```

```
public interface Stack {
    // Push o onto me.
    public void push(Object o)
        throws StackFullException;
    // Pop off my top object and return it.
    public Object pop();
        throws StackEmptyException;
    // Return true if I am empty.
    public boolean isEmpty();
}
```

Write a non-recursive method to print a linked list in reverse order. Its only parameter should be the first **Node** in the linked list. Use the **Node** class on page 6.

Assume that you have a class **MyStack** that implements **Stack**, and a class **MyQueue** that implements **Queue**. You may find these classes to be useful in your solution. You need not catch any exceptions that are thrown.