



# ***lecture 7: requirements analysis***

csc302h  
winter 2014

Time	Team	Interviewer
10:10 a.m.	Seven	Andrew
10:10 a.m.	Fantasix	Mashiyat
10:10 a.m.	Missing Brackets	Matt
--- short break ---		
10:30 a.m.	Double Double	Andrew
10:30 a.m.	DOGE	Mashiyat
10:30 a.m.	Solutions	Matt
--- short break ---		
10:50 a.m.	doge++	Andrew
10:50 a.m.	The Group	Mashiyat
10:50 a.m.	The Brogrammers	Matt

- managing risk in the context of software projects: assessment + control
- risk exposure:
  - $RE = \text{probability} \times \text{consequences (loss)}$
- risk reduction leverage:
  - $RRL = (RE_{\text{before}} - RE_{\text{after}}) \div \text{cost of mitigating action}$
  - for ROI calculations and comparison
- risk assessment
  - quantitative (if you can)
  - qualitative (risk exposure matrix)

## *recap from last time (2)*

- discussed some of the most common software engineering risks & countermeasures
- case studies (& lessons)
  - failed mars missions
  - therac-25 (from risks digest forum)
  - annoying oil tank with a phone!
- don't have iv&v report to the development manager (conflict of interest, that's what the "i" is for)
- principles of risk management

# Requirements Analysis





# Quality = Fitness for purpose

## Software technology is everywhere

Affects nearly all aspects of our lives

But our experience of software technology is often frustrating/disappointing

## Software is designed for a purpose

If it doesn't work well then either:

...the designer didn't have an adequate understanding of the purpose

...or we are using the software for a purpose different from the intended one

Requirements analysis is about identifying this purpose

Inadequate understanding of the purpose leads to poor quality software

## The purpose is found in human activities

E.g. Purpose of a banking system comes from the business activities of banks and the needs of their customers

The purpose is often complex:

Many different kinds of people and activities

Conflicting interests among them



# Designing for people

## What is the real goal of software design?

Creating new programs, components, algorithms, user interfaces,...?

Making human activities more effective, efficient, safe, enjoyable,...?

## How rational is the design process?

### Hard systems view:

Software problems can be decomposed systematically

The requirements can be represented formally in a specification

This specification can be validated to ensure it is correct

A correct program is one that satisfies such a specification

### Soft systems view:

Software development is embedded in a complex organizational context

There are multiple stakeholders with different values and goals

Software design is part of an ongoing learning process by the organization

Requirements can never be adequately captured in a specification

Participation of users and others throughout development is essential

### Reconciliation:

Hard systems view okay if there is local consensus on the nature of the problem



# Separate the problem from the solution

## A separate problem description is useful:

It can be discussed with stakeholders

It can be used to evaluate design choices


It is a good source of test cases

Note: Most obvious problem might not be the right one to solve

## Still need to check:

Solution **correctly** solves the stated problem (verification)

Problem statement **corresponds** to the needs of the stakeholders (validation)










# Requirements as Theories




Note similarity with Process of scientific Investigation:  
Requirements models are theories about the world;  
Designs are tests of those theories




# A problem to describe...

E.g. “land a spacecraft on Mars”





# A problem to describe...



Don't overload the processors...  
Don't use data from failed sensors...  
Ignore noise on sensors when legs unfold...



Poll multiple sensors continually and compare results to test sensor function. Start using touchdown sensors at 12m above the surface (Assumes legs have finished unfolding by then...)



# Thinking about Software Requirements



## Domain Properties (assumptions):

things in the **application domain** that are true, whether or not we ever build the proposed system

## (System) Requirements:

things in the **application domain** that we wish to be made true, by delivering the proposed system

May involve phenomena to which the machine has no access

## A (Software) Specification:

a description of the behaviours that **the program** must have, in order to meet the requirements

Can only be written in terms of shared phenomena!





# Fitness for purpose?

## Two correctness (verification) criteria:

The **Program** running on a particular **Computer** satisfies the **Specification**

The **Specification**, in the context of the given **domain properties**, satisfies the **requirements**

## Two appropriateness (validation) criteria:

We discovered all the important **requirements**

We properly understood the relevant **domain properties**

## Example:

### Requirement R:

“Reverse thrust shall only be enabled when the aircraft is moving on the runway”

### Domain Properties D:

Wheel pulses on if and only if wheels turning

Wheels turning if and only if moving on runway

### Specification S:

“Reverse thrust enabled if and only if wheel pulses on”

Verification:  $S, D \Rightarrow R$





# Another Example

## Requirement R:

“The database shall only be accessible by authorized personnel”

## Domain Properties D:

Authorized personnel have passwords

Passwords are never shared with non-authorized personnel

## Specification S:

“Access to the database shall only be granted after the user types an authorized password”

**S, D  $\Rightarrow$  R**

But what if the domain assumptions are wrong?








# But we can also move the boundaries...

E.g. Elevator control system:



→ We can shift things around:

↳ E.g. Add some sensors to detect when people are waiting

↳ This changes the nature of the problem to be solved



# Observations

## Analysis is not necessarily a sequential process:

- Don't have to write the problem statement before the solution statement
- (Re-)writing a problem statement can be useful at any stage of development
- RE activities continue throughout the development process

## The problem statement will be imperfect

- RE models are approximations of the world
- will contain inaccuracies and inconsistencies
- will omit some information.
- assess the risk that these will cause serious problems!

## Perfecting a specification may not be cost-effective

- Requirements analysis has a cost
- For different projects, the cost-benefit balance will be different
- Depends on the consequences of getting it wrong!

## Problem statement should never be treated as fixed

- Change is inevitable, and therefore must be planned for
- There should be a way of incorporating changes periodically



# Stakeholders

## Stakeholder analysis:

Identify all the people who must be consulted during information acquisition

## Example stakeholders

### Users

concerned with the features and functionality of the new system

### Customers

Wants to get best value for money invested!

### Business analysts / marketing team

want to make sure “we are doing better than the competition”

### Training and user support staff

want to make sure the new system is usable and manageable

### Technical authors

will prepare user manuals and other documentation for the new system

### Systems analysts

want to “get the requirements right”

### Designers

want to build a perfect system, or reuse existing code

### The project manager

wants to complete the project on time, within budget, with all objectives met.



# Identifying Stakeholders' Goals

*Source: Adapted from Anton, 1996.*

## Approach

Focus on **why** a system is required

Express the 'why' as a set of stakeholder goals

Use goal refinement to arrive at specific requirements

Goal analysis

document, organize and classify goals

Goal evolution

refine, elaborate, and operationalize goals

Goal hierarchies show **refinements** and **alternatives**

## Advantages

Reasonably intuitive

Explicit declaration of goals provides sound basis for conflict resolution

## Disadvantages

Captures a static picture - what if goals change over time?

Can regress forever up (or down) the goal hierarchy



# Goal Modeling

## (Hard) Goals:

Describe functions that must be carried out. E.g.

- Satisfaction goals
- Information goals

## Softgoals:

Cannot really be fully satisfied. E.g.

- Accuracy
- Performance
- Security
- ...

## Types of goal:

**Achieve/Cease goals**

Reach some desired state eventually

**Maintain/Avoid goals**

Keep some property invariant

**Optimize**

A criterion for evaluating design choices

## Agents:

Owners of goals

Choice of when to ascribe goals to agents:

- Identify agents first, and then their goals
- Identify goals first, and then allocate them to agents during operationalization

## Modelling Tips:

Multiple sources yield better goals

Associate stakeholders with each goal

reveals viewpoints and conflict


Use scenarios to explore how goals can be met

Explicit consideration of obstacles helps to elicit exceptions





# Example Goal Elaboration






# Goal Analysis

## Goal Elaboration:

- “Why” questions explore higher goals (context)
- “How” questions explore lower goals (operations)
- “How else” questions explore alternatives

## Relationships between goals:

- One goal **helps** achieve another (+)
- One goal **hurts** achievement of another (-)
- One goal **makes** another (++)  
Achievement of goal A guarantees achievement of goal B
- One goal **breaks** another (--)  
Achievement of goal A prevents achievement of goal B
- Precedence ordering – if goals must be achieved in a particular order



## Obstacle Analysis:

- Can this goal be obstructed, if so how?
- What are the consequences of obstructing it?



# Softgoals

## Some goals can never be fully satisfied


Treat these as **softgoals**

E.g. “system be easy to use”; “access be secure”

Also known as ‘non-functional requirements’ ; ‘quality requirements’

Will look for things that contribute to **satisficing** the softgoals


E.g. for a train system:







# Softgoals as selection criteria





***next week:  
from requirements to design***