



Lecture 9: Estimation and Prioritization

- Project planning
- Estimating Effort
- Prioritizing Stakeholder's needs
- Trade-offs between stakeholder goals



Project Planning

Given:

A list of customer requirements

E.g. a set of use cases, a set of change requests, etc.

Estimate:

How long each one will take to implement (cost)

How important each one is (value)

Plan:

Which requests should be included in the next release

Complication:

Customers care about other stuff to: quality, performance, security, usability,...





Principles of Management

A manager can control 4 things:

- Resources** (can get more dollars, facilities, personnel)
- Time** (can vary the schedule, delay milestones, etc.)
- Product** (can vary the amount of functionality - e.g. scrub requirements)
- Risk** (can decide which risks are acceptable)

Approach (applies to any management)

- Understand the goals and objectives
 - quantify them where possible
- Understand the constraints
 - if there is uncertainty, use probability estimates
- Plan to meet the objectives within the constraints
- Monitor and adjust the plan
- Preserve a calm, productive, positive work environment

Note:

- You cannot control what you cannot measure!



Strategies

Fixed Product

1. Identify customer requirements
2. Estimate size of software needed to meet them
3. Calculate time required to build this much software
4. Get customer to agree to the cost & schedule

Fixed schedule (a.k.a. Timeboxing)

1. Fix a date for next release
2. Obtain prioritized list of requirements
3. Estimate effort for each requirements
4. Select requirements off the list until the "box" is full

Fixed Cost

1. Agree with customer how much they wish to spend
2. Obtain prioritized list of requirements
3. Estimate cost of each requirement
4. Select requirements off the list until the "cost" is used up





Estimating Effort: COCOMO

Source: Adapted from van Vliet, 1999, section 7.3.2

COⁿstructive CO^st Model (COCOMO)

Used to predict cost of a project from a measure of size (lines of code)
Basic model is:

$$E = aL^b$$

effort → E ← project specific factors
← lines of code

Modeling process

Establish type of project (organic, semidetached, embedded)

this gives sets of values for a and b

Identify the component modules, and estimate L for each module

Adjust L according to how much is reused

COCOMO has a model for adjusting according to how much design, code and integration data is reused

Compute effort for each module using $E = aL^b$

Adjust E according to difficulty of the project

COCOMO identifies 15 effort multipliers to take into account

Product attributes: eg required reliability, complexity, database size

Computer attributes: eg execution time constraints, storage constraints, etc.

Personnel attributes: eg capability & experience of analysts and programmers,

Project attributes: eg use of CASE tools, programming language, schedule

Compute time using $T = cE^d$

c and d provided for different project types like a and b were



Estimating Size: Function Points

Source: Adapted from van Vliet, 1999, section 7.3.5

Function Points

used to calculate size of software from a statement of the problem

tries to address variability in lines of code estimates used in models such as COCOMO

e.g. because SLOC varies with different languages

Originally for information systems, although other variants exist

Basic model is:

$$FP = a_1I + a_2O + a_3E + a_4L + a_5F$$

metric from problem statement
weighting factor for this metric

Example

Sets of weightings (a_i) provided for different types of project

Measure properties of the problem statement:

I = number of user inputs (data entry)

O = number of user outputs (reports, screens, error messages)

E = number of user queries

L = number of files

F = number of external interfaces (to other devices, systems)

Example calculation:

$$FP = 4I + 5O + 4E + 10L + 7F$$





Agile Estimating

Estimation in Practice:

- People tend to underestimate effort needed
- Most estimates are made to please the {boss, customer, ...}
- Easier to estimate small chunks of work than large ones

Three-point estimating

- Gets much better estimates than just asking for a range
- w = worst possible case
- m = most likely case
- b = best possible case

$$E = \sum_i \frac{w_i + 4m_i + b_i}{6}$$

...and don't forget: effort < duration !!




A Cost-Value Approach

Source: Adapted from Karlsson & Ryan 1997

Perform Triage:

- Some requirements *must* be included
- Some requirements should definitely be excluded
- That leaves a pool of "nice-to-haves", which we must select from.





Some complications

Hard to *quantify* differences

easier to say “x is more important than y”...
...than to estimate by how much.

Not all requirements comparable

E.g. different level of abstraction
E.g. core functionality vs. customer enhancements

Requirements may not be independent

No point selecting between X and Y if they are mutually dependent

Stakeholders may not be consistent

E.g. If $X > Y$, and $Y > Z$, then presumably $X > Z$?

Stakeholders might not agree

Different cost/value assessments for different types of stakeholder



Stakeholders

Stakeholder analysis:

Identify all the people who must be consulted during information acquisition

Example stakeholders

Users

concerned with the features and functionality of the new system

Customers

Wants to get best value for money invested!

Business analysts / marketing team

want to make sure “we are doing better than the competition”

Training and user support staff

want to make sure the new system is usable and manageable

Technical authors

will prepare user manuals and other documentation for the new system

Systems analysts

want to “get the requirements right”

Designers

want to build a perfect system, or reuse existing code

The project manager

wants to complete the project on time, within budget, with all objectives met.





Identifying Stakeholders' Goals

Source: Adapted from Anton, 1996.

Approach

- Focus on **why** a system is required
- Express the 'why' as a set of stakeholder goals
- Use goal refinement to arrive at specific requirements
- Goal analysis
 - document, organize and classify goals
- Goal evolution
 - refine, elaborate, and operationalize goals
- Goal hierarchies show **refinements and alternatives**

Advantages

- Reasonably intuitive
- Explicit declaration of goals provides sound basis for conflict resolution

Disadvantages

- Captures a static picture - what if goals change over time?
- Can regress forever up (or down) the goal hierarchy



Goal Modeling

(Hard) Goals:

- Describe functions that must be carried out. E.g.
 - Satisfaction goals
 - Information goals

Softgoals:

- Cannot really be fully satisfied. E.g.
 - Accuracy
 - Performance
 - Security
 - ...

Also classified temporally:

- Achieve/Cease goals**
 - Reach some desired state eventually
- Maintain/Avoid goals**
 - Keep some property invariant
- Optimize**
 - A criterion for evaluating design choices

Agents:

- Owners of goals
- Choice of when to ascribe goals to agents:
 - Identify agents first, and then their goals
 - Identify goals first, and then allocate them to agents during operationalization


Modelling Tips:

- Multiple sources yield better goals
- Associate stakeholders with each goal
 - reveals viewpoints and conflict
- Use scenarios to explore how goals can be met
- Explicit consideration of obstacles helps to elicit exceptions





Example Goal Elaboration




Goal Analysis

Goal Elaboration:

- “Why” questions explore higher goals (context)
- “How” questions explore lower goals (operations)
- “How else” questions explore alternatives

Relationships between goals:

- One goal **helps** achieve another (+)
- One goal **hurts** achievement of another (-)
- One goal **makes** another (++)
 - Achievement of goal A guarantees achievement of goal B
- One goal **breaks** another (--)
- Achievement of goal A prevents achievement of goal B
- Precedence ordering – if goals must be achieved in a particular order



Obstacle Analysis:

- Can this goal be obstructed, if so how?
- What are the consequences of obstructing it?



Softgoals

Some goals can never be fully satisfied


Treat these as **softgoals**

E.g. "system be easy to use"; "access be secure"


Also known as 'non-functional requirements'; 'quality requirements'

Will look for things that contribute to **satisficing** the softgoals

E.g. for a train system:



Softgoals as selection criteria






Hierarchical Prioritization

Group Requirements into a hierarchy

E.g. A goal tree

E.g. A NFR tree

Only make comparisons between branches of a single node:



Advice from ICONIX

Plan at appropriate detail

Negotiate the scope (when faced with fixed deadline)

Customer dictates priority

Adjust the plan to fit reality (small release cycles help)

Get feedback on progress and risks

Try to get it right first time (rather than fix it later)

Use 3 types of release: internal, investigative, production

Plan to refactor when necessary (avoid rot)

Consider high impact decisions during early iterations