

Folding: Motivation

We wrote a function to add up a list:

```
sumList [] = 0
sumList (x:xs) = x + sumList xs
```

In the assignment, we also wrote a function to multiply up a list:

```
prodList [] = 1
prodList (x:xs) = x * prodList xs
```

There is a lot of similarity here: only the binary operator and the initial value are different.

We can generalize this pattern and reduce boring coding.

FP Lecture 4

1

Folding

The library function `foldr` captures the pattern in `sumList` and `prodList`.

Here is what it looks like. We need to give it as parameters:

- the initial value `init` for the empty list case, e.g., `0`
- the binary function `f` to be used, e.g., addition

```
foldr f init [] = init
foldr f init (x:xs) = x `f` foldr f init xs
--same as f x (foldr f init xs)
foldr :: (a->b->b) -> b -> [a] -> b
```

Examples:

```
sumList xs = foldr (+) 0 xs
prodList xs = foldr (*) 1 xs
```

FP Lecture 4

2

Folding: Left and Right

The `r` in `foldr` means it computes from the right hand side:

```
foldr (+) 0 [1,2,3] = 1+(2+(3+0))
```

Similarly, there is a `foldl` that computes from the left hand side:

```
foldl (+) 0 [1,2,3] = ((0+1)+2)+3
```

It looks like this:

```
foldl :: (a->b->b) -> b -> [a] -> b
foldl f init [] = init
foldl f init (x:xs) = foldl f (init `f` x) xs
```

FP Lecture 4

3

Folding: When to Use Which

Which of `foldl` and `foldr` should we use? It depends on the situation.

- We probably want to use `foldl` to add up integers. It is tail-recursive.
- But we probably want to use `foldr` to join a list of strings.

```
foldl (++) "" ["abc", "abc", "abc"]
takes quadratic time, while
foldr (++) "" ["abc", "abc", "abc"]
```

takes linear time. This is because `(++)` is linear in its first argument.

FP Lecture 4

4

Currying: Introduction

Consider the following function:

```
myadd :: Int -> Int -> Int -> Int
myadd x y z = x+y+z
```

The type could be read as “a function that takes three numbers and returns a number”. But it could also be read as:

- `myadd :: Int -> Int -> (Int -> Int)`
takes two numbers and returns a function `Int->Int`.
- `myadd :: Int -> (Int -> Int -> Int)`
takes one number and returns a function `Int->Int->Int`.

FP Lecture 4

5

Currying

So you can give one parameter at a time and get intermediate functions:

- `myadd 1 :: Int -> Int -> Int`
a function that takes two numbers and add them to 1
- `myadd 1 2 :: Int -> Int`
a function that takes a number and add it to 1 + 2
- `myadd 1 2 3 :: Int`
finally the number 6

This ability is called *currying*.

FP Lecture 4

6

Currying: Examples

Using currying, we can shorten the definition of `sumList` a bit. Recall:

```
sumList :: [Int] -> Int
sumList xs = foldr (+) 0 xs
```

Look at the right hand side. If we omit the third parameter, we will have:

```
foldr (+) 0 :: [Int] -> Int
```

This is precisely what we want for `sumList`, matching both the type specification and the content! So we will write:

```
sumList = foldr (+) 0
prodList = foldr (*) 1
```

FP Lecture 4

7

Composition

Recall that we had a function that sums up the areas of a list of shapes. It can now be written as:

```
areaList xs = sumList (map area xs)
```

This is saying: pass `xs` to a function `f` (`map area`), then take the result and pass it to another function `g` (`sumList`). This is *function composition*. There is an operator for this:

```
(.) :: (b->c) -> (a->b) -> (a->c)
(g.f) x = g (f x)
```

So `g.f` is a function that, when you give it a parameter `x`, it will compute `f(x)`, and then use it to compute `g(f(x))`.

FP Lecture 4

8

Composition: Example

Look at `arealist` again:

```
arealist xs = sumList (map area xs)
```

Using composition, we can rewrite it as:

```
arealist xs = (sumList . map area) xs
```

But then we can apply currying:

```
arealist = sumList . map area
```

FP Lecture 4

9

Anonymous Functions: Motivation

There are times when we want to write a function without giving it a name.

E.g.,

```
square n = n*n
```

is silly if all we want is just:

```
map square [1,2,3]
```

Even this:

```
let square n = n*n in map square [1,2,3]
```

is too tedious. We would like to write functions without giving them names.

FP Lecture 4

10

Anonymous Functions

Here is how. A function that squares its parameter:

```
\n -> n*n
```

So to square a list of numbers,

```
map (\n -> n*n) [1,2,3]
```

More parameters can be accommodated too, e.g.,

```
\x y z -> x+y+z
```

This is a shorthand for:

```
\x -> \y -> \z -> x+y+z
```

FP Lecture 4

11

Sections

Binary operators can be turned into unary functions by giving them a constant argument and using the following syntax:

```
(1+) means \x -> 1+x
```

```
(+1) means \x -> x+1
```

E.g., a function that increments very number in a list:

```
map (+1)
```

A function that tests if all numbers in a list are negative:

```
foldl (&&) True . map (<0)
```

The library has a function to do the `foldl (&&) True` part:

```
and . map (<0)
```

FP Lecture 4

12