

CSC 411: Lecture 14: Principal Components Analysis & Autoencoders

Raquel Urtasun & Rich Zemel

University of Toronto

Nov 4, 2015

- Dimensionality Reduction
- PCA
- Autoencoders

Mixture models and Distributed Representations

- One problem with mixture models: each observation assumed to come from one of K prototypes
- Constraint that only one active (responsibilities sum to one) limits representational power
- Alternative: **Distributed** representation, with several latent variables relevant to each observation
- Can be several binary/discrete variables, or continuous

Example: continuous underlying variables

- What are the intrinsic latent dimensions in these two datasets?



- How can we find these dimensions from the data?


Principal Components Analysis

- PCA: most popular instance of second main class of unsupervised learning methods, **projection** methods, aka **dimensionality-reduction** methods
- Aim: find small number of "directions" in input space that explain variation in input data; re-represent data by projecting along those directions
- Important assumption: variation contains information
- Data is assumed to be continuous:
 - ▶ linear relationship between data and learned representation

- Handles high-dimensional data
 - ▶ if data has thousands of dimensions, can be difficult for classifier to deal with
- Often can be described by much lower dimensional representation
- Useful for:
 - ▶ Visualization
 - ▶ Preprocessing
 - ▶ Modeling – prior for new data
 - ▶ Compression

PCA: Intuition

- Assume start with N data vectors, of dimensionality D
- Aim to reduce dimensionality:
 - ▶ linearly project (multiply by matrix) to much lower dimensional space, $M \ll D$
- Search for orthogonal directions in space w/ highest variance
 - ▶ project data onto this subspace
- Structure of data vectors is encoded in sample covariance



Finding principal components

- To find the principal component directions, we center the data (subtract the sample mean from each variable)
- Calculate the empirical covariance matrix:

$$C = \frac{1}{N} \sum_{n=1}^N (\mathbf{x}^{(n)} - \bar{\mathbf{x}})(\mathbf{x}^{(n)} - \bar{\mathbf{x}})^T$$

with $\bar{\mathbf{x}}$ the mean

- What's the dimensionality of \mathbf{x} ?
- Find the M eigenvectors with largest eigenvalues of C : these are the principal components
- Assemble these eigenvectors into a $D \times M$ matrix U
- We can now express D -dimensional vectors \mathbf{x} by projecting them to M -dimensional \mathbf{z}

$$\mathbf{z} = U^T \mathbf{x}$$

- Algorithm: to find M components underlying D -dimensional data
 1. Select the top M eigenvectors of C (data covariance matrix):

$$C = \frac{1}{N} \sum_{n=1}^N (\mathbf{x}^{(n)} - \bar{\mathbf{x}})(\mathbf{x}^{(n)} - \bar{\mathbf{x}})^T = U\Sigma U^T \approx U\Sigma_{1:M}U_{1:M}^T$$

where U : orthogonal, columns = unit-length eigenvectors

$$U^T U = U U^T = 1$$


and Σ : matrix with eigenvalues in diagonal = variance in direction of eigenvector

2. Project each input vector \mathbf{x} into this subspace, e.g.,

$$z_j = \mathbf{u}_j^T \mathbf{x}; \quad \mathbf{z} = U_{1:M}^T \mathbf{x}$$

Two Derivations of PCA

- Two views/derivations:
 - ▶ Maximize variance (scatter of green points)
 - ▶ Minimize error (red-green distance per datapoint)



PCA: Minimizing Reconstruction Error

- We can think of PCA as projecting the data onto a lower-dimensional subspace
- One derivation is that we want to find the projection such that the best linear reconstruction of the data is as close as possible to the original data

$$J = \sum_n \|\mathbf{x}^{(n)} - \tilde{\mathbf{x}}^{(n)}\|^2$$

where

$$\tilde{\mathbf{x}}^{(n)} = \sum_{j=1}^M z_j^{(n)} \mathbf{u}_j + \sum_{j=M+1}^D b_j \mathbf{u}_j$$

- Objective minimized when first M components are the eigenvectors with the maximal eigenvalues

$$z_j^{(n)} = (\mathbf{x}^{(n)})^T \mathbf{u}_j; \quad b_j = \tilde{\mathbf{x}}^T \mathbf{u}_j$$

Applying PCA to faces

- Run PCA on 2429 19x19 grayscale images (CBCL data)
- Compresses the data: can get good reconstructions with only 3 components




- PCA for pre-processing: can apply classifier to latent representation
 - ▶ PCA w/ 3 components obtains 79% accuracy on face/non-face discrimination in test data vs. 76.8% for m.o.G with 84 states
- Can also be good for visualization

Applying PCA to faces: Learned basis




Applying PCA to digits



Relation to Neural Networks

- PCA is closely related to a particular form of neural network
- An **autoencoder** is a neural network whose outputs are its own inputs



- The goal is to minimize **reconstruction error**

Autoencoders

- Define

$$\mathbf{z} = f(W\mathbf{x}); \quad \hat{\mathbf{x}} = g(V\mathbf{z})$$

- Goal:

$$\min_{W, V} \frac{1}{2N} \sum_{n=1}^N \|\mathbf{x}^{(n)} - \hat{\mathbf{x}}^{(n)}\|^2$$

- If g and f are linear

$$\min_{W, V} \frac{1}{2N} \sum_{n=1}^N \|\mathbf{x}^{(n)} - VW\mathbf{x}^{(n)}\|^2$$

- In other words, the optimal solution is PCA.

Autoencoders: Nonlinear PCA

- What if $g()$ is not linear?
- Then we are basically doing **nonlinear PCA**
- Some subtleties but in general this is an accurate description

Comparing Reconstructions



Real data

30-d deep autoencoder

30-d logistic PCA

30-d PCA